



1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa05ATEX0285/1**

4 Equipment: **A Capacitance Tip Clearance System**

5 Manufacturer: **Tyco Thermal Controls (UK) Limited**

6 Address: **Stephenson Industrial Estate, Washington, Tyne & Wear, NE37 3HX,  
UK**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa05ATEX0285 to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0138**

Project File No. **08/0475**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa Ltd  
Registered in England No. 4305578. Registered address as above.

A handwritten signature in dark ink, appearing to read "R S Sinclair".

**R S SINCLAIR**

**DIRECTOR**  
On behalf of  
Baseefa



13

## Schedule

14

Certificate Number Baseefa05ATEX0285/1

### 15 Description of the variation to the Equipment

#### Variation 1.1

To permit the alternative use of a TVI-FE577OSC Oscillator covered by certificate number Baseefa08ATEX0335X, located in the pressurised enclosure. When this oscillator is used, a LEMO connector and optional extension cable may be included between it and the triaxial probe.

#### Variation 1.2

To permit minor changes to the enclosure label that do not affect the original assessment.

### 16 Report Number

None

### 17 Special Conditions for Safe Use

None

### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

### 19 Drawings and Documents

Number	Sheet	Issue	Date	Description
TVI-FE496OCFM_LABEL	1 of 1	3	19/01/2009	TVI-FE577OSC Label Details